

THE MYSORE GAZETTE.

Published by Authority.

BANGALORE, SATURDAY, MAY 4, 1889.

Separate paging is given to this Part in order that it may be filed as a separate compilation.

PART IV.

Official Papers.

Season Report for the Week ending 20th April 1889.

District.	Rain-fall at— Stn.	Present week.	Correspond- ing week of last year.	Price of food grains in seers per Rupree; and market fluctuations in the prices of food grains.	Market how supplied.	Progress of agricultural operations, state of standing crops, prospects and probable out-turn of the harvest, and serious damage done to crops by insects or other natural calamities.	Prospects of Season; tracks in which the rain-fall has been insufficient; areas affect- ed by scarcity, number of people under relief, and state of food stocks.	Public Health.	Remarks as to the condition of agricultural stock, failure of pasturage or fodder, &c.
Bangalore	Bangalore C. & M. Stn.	...	...	...	Well.	Standing crops in good condition. Sugar- cane and paddy were sown in parts and sugar- cane harvested. Out-turn 10 to 12 annas.	Favorable.	Generally good	Cattle disease prevalent. Water and fodder procur- able.
	" City & Tk...	...	...	...	...	...	...	...	...
	Hoskote	...	...	...	...	...	...	...	...
	Dodballapur	...	...	...	...	...	...	...	...
	Nelamangala	...	...	...	...	...	...	...	...
	Kankanhalli	...	...	...	...	...	...	...	...
	Magadi	...	...	...	...	...	...	...	...
	Closepet	...	...	...	...	...	...	...	...
	Anekal	...	...	...	...	...	...	...	...
	Devanahalli	...	...	...	...	...	...	...	...
Kolar	Channarayana	...	...	...	...	...	...	...	...
	Kolar	...	...	...	...	...	...	...	...
	Bowringpet	...	...	...	...	...	...	...	...
	Chintamani	...	...	...	...	...	...	...	...
	Mulbagal	...	...	...	...	...	...	...	...
	Siddaghatta	...	...	...	...	...	...	...	...
	Chikkallapur	...	...	...	...	...	...	...	...
	Bagepalli	...	...	...	...	...	...	...	...
	Goribidnur	...	...	...	...	...	...	...	...
	Malur	...	...	...	...	...	...	...	...
Tumkur	Srinivasapur	...	...	...	...	...	...	...	...
	Gudlunda	...	...	...	...	...	...	...	...
	Tumkur	...	...	...	...	...	...	...	...
	Maddur	...	...	...	...	...	...	...	...
	Chiknayakanhalli	...	...	...	...	...	...	...	...

846

	1	10	gram 22 to 32 24 to 32.	(Ciser arictinum.)	Do	Sugar-cane and mulberry are in good condition.	Generally good.	Small-pox prevalent in parts.	Murrain among cattle prevalent in parts. Water supply diminishing. Pasturage available.
Gubbi	1	10	gram 22 to 32 24 to 32.	(Ciser arictinum.)	Do	Sugar-cane and mulberry are in good condition.	Generally good.	Small-pox prevalent in parts.	Murrain among cattle prevalent in parts. Water supply diminishing. Pasturage available.
Tiptur	3	93	Rice 11 to 12 11 to 13.						
Pavagada	2	75	Ragi 28 to 40 28 to 40.						
Kagal	2	14	(Eleusine corocana.)						
Koratageri	2	20	Horse-gram 26 to 32 22 to 28.						
Turuvekere	1	30	(Ciser arictinum.)						
Haliyar	3	23							
Mysore	2	..							
Channaraynagar	..	90							
Seringapatam	1	48							
Hunsur	1	..							
Yedotore	2	23							
Heggaddavankote.	..	40							
Gundlupet	-	58							
Nanjaugud	1	20							
T. Narsipur	2	9							
Malvalli	..	4							
Mandya	..	30							
Atikuppaa	2	32							
Naganangala	1	30							
Hassan	..	90	Rice 15		Do	Standing crops thriving well.	Favorable.	Generally good.	Murrain among cattle prevalent in parts.
Manjarabad	..	..	Ragi 40						
Aralgud	..	20	(Eleusine corocana.)						
Belur	1	..	Horse-						
Channarayapattna.	..	15	gram 20						
Arsikere	3	50	(Ciser arictinum.)						
Hole-Narsipur	..	80							
Shimoga	2	47	Rice 13 to 17 14 to 17.		Do	Paddy and sugar-cane in good condition.	Fair.	Small-pox prevalent in 6 Taluks of the District.	Murrain among cattle prevalent in parts.
Channagiri	2	74	Ragi 26 to 60 24 to 60.						
Honnali	2	76	(Eleusine corocana.)						
Shikarpur	1	31	Jola 24 to 48 32 to 48.						
Sorab	..	98	(Sorghum Vulgare.)						
Sagar	2	..							
Nagar	1	13							
Tirthahalli	1	67							
Kumsi	4	73							
Chikmagalur	..	..	Rice 12 to 19 12 to 20.		Amplly.	Standing crops generally in good condition.	Generally good.	Small-pox prevalent in Koppa Taluk.	Foot disease among cattle prevalent in parts of Koppa Taluk.
Kadur	..	..	Ragi 36 to 50 24 to 50.						
Tarikere	..	..	(Eleusine corocana.)						
Koppa	..	..	Horse-						
Mudgere	..	..	gram 16 to 24 16 to 28.						
Yedahalli	..	..	(Ciser arictinum.)						
Chitaldroog	2	28	Rice 11 1/2 to 14 11 to 14.		Well.	Standing crops in good condition.	Do	Small-pox prevalent in Molakalmuru Taluk.	Murrain among cattle prevalent in Davangere Taluk. Fodder sufficient.
Challakere	2	2	Ragi 40 to 68 40 to 68.			and sugar-cane were harvested.			
Hiriyur	3	85	(Eleusine corocana.)						
Holakere	3	80	Jola 32 to 50 30 to 50.						
Davangere	3	10	(Sorghum Vulgare.)						
Molakalmuru	2	45							
Jagalur	2	50							
Hosdurga	2	35							

THE MYSORE GAZETTE.

Published by Authority.

BANGALORE, SATURDAY, MAY 11, 1889.

Separate paging is given to this Part in order that it may be filed as a separate compilation.

PART IV.

Official Papers.

Season Report for the Week ending 27th April 1889.

District.	Rain fall at—	Present week.	Corresponding week of last year.	Price of food grains in seers per Rupee; and marked fluctuations in the prices of food grains.	Mo. of year.	Progress of agricultural operations, state of standing crops, prospects and probable out-turn of the harvest, serious damage done to crops by insects or other natural calamities.	Prospects of Season; traits in which the rainfall has been insufficient; areas affected by scarcity, number of people under relief, and state of food stocks.	Public Health.	Remarks as to the condition of agricultural stock, failure of pasturage or fodder, &c.
Bangalore ...	Bangalore C. & M. Stn. City & Tk. Hoskote	I. 1 16 25 90 44 6 62 44 1 18 66	C. ... 10 ...	Rice 10½ 10½ 34 34. Ragi 34 34. (Eleusine corocana.) Horse-gram 20½ 20½ (Ciser arictinum.)	Well.	Standing crops in good condition generally. Sugar-cane was sown. Sugar-cane and paddy were harvested. Out-turn fair.	Favorable.	Generally good.	Cattle disease prevalent in parts.
... Kolar	Bowringpet Chintamani Mulbagal Sidlaghatta Chikballapur Bagepalli Goribidnur Malur Srinivasapur Gudbenda	I. 2 2 35 30 32	C. ... 14. to 45. 35 to 45. 18½ to 22. 20 to 22.	Rice 12 to 13 12 to 14. Ragi 35 to 45 35 to 45. (Eleusine corocana.) Horse-gram 20 to 26 18½ to 22. (Ciser arictinum.)	Do	Standing crops generally in good condition	Good.	Do. 7 fatal cases of cholera occurred in Budikote of the Bowringpet Taluk.	Do. Water and fodder procurable.
... Tumkur	Maddur Chiknayakanhalli Sira Gubi	I. 50 75 18 25	C. ... 15½ 12 to 15½. 40 to 50 40 to 50. (Eleusine corocana.) Horse-gram 22 to 32 22 to 32. (Ciser arictinum.)	Rice 12 to 15½ 12 to 15½. Ragi 40 to 50 40 to 50. (Eleusine corocana.) Horse-gram 22 to 32 22 to 32. (Ciser arictinum.)	Do	Standing crops in good condition. Wet crops withering for want of water in certain parts of Maddur. Paddy, sugar-cane and ragi were harvested. Sugar-cane and paddy were sown in parts. Out-turn 2 to 8 annas.	Good.	Generally good.	Do

848

Locality	Crop	Yield (per acre)	Condition	Remarks
Mysore	Rice	11 to 16	11 to 12	Do. Small-pox prevalent in parts of Naganangala Taluk. Improv. g.
Channarayana	Ragi	25 to 40	28 to 40	Do. Small-pox prevalent in parts of Naganangala Taluk. Improv. g.
Seingapatnam	Horsegram	24 to 28	22 to 28	Do. Small-pox prevalent in parts of Naganangala Taluk. Improv. g.
Hunsur	Ragi	25 to 40	28 to 40	Do. Small-pox prevalent in parts of Naganangala Taluk. Improv. g.
Yedatore	Horsegram	24 to 28	22 to 28	Do. Small-pox prevalent in parts of Naganangala Taluk. Improv. g.
Heggaddevankote	Ragi	25 to 40	28 to 40	Do. Small-pox prevalent in parts of Naganangala Taluk. Improv. g.
Gundlupet	Horsegram	24 to 28	22 to 28	Do. Small-pox prevalent in parts of Naganangala Taluk. Improv. g.
Nanjangud	Ragi	25 to 40	28 to 40	Do. Small-pox prevalent in parts of Naganangala Taluk. Improv. g.
T. Narsipur	Horsegram	24 to 28	22 to 28	Do. Small-pox prevalent in parts of Naganangala Taluk. Improv. g.
Malvalli	Ragi	25 to 40	28 to 40	Do. Small-pox prevalent in parts of Naganangala Taluk. Improv. g.
Mandya	Horsegram	24 to 28	22 to 28	Do. Small-pox prevalent in parts of Naganangala Taluk. Improv. g.
Atikuppa	Ragi	25 to 40	28 to 40	Do. Small-pox prevalent in parts of Naganangala Taluk. Improv. g.
Naganangala	Horsegram	24 to 28	22 to 28	Do. Small-pox prevalent in parts of Naganangala Taluk. Improv. g.
Hassan	Rice	14	14	Do. Small-pox prevalent in parts of Naganangala Taluk. Improv. g.
Manjarabad	Ragi	42	42	Do. Small-pox prevalent in parts of Naganangala Taluk. Improv. g.
Arkalgud	Horsegram	22	22	Do. Small-pox prevalent in parts of Naganangala Taluk. Improv. g.
Belur	Ragi	42	42	Do. Small-pox prevalent in parts of Naganangala Taluk. Improv. g.
Channarayana	Horsegram	22	22	Do. Small-pox prevalent in parts of Naganangala Taluk. Improv. g.
Arsikere	Ragi	42	42	Do. Small-pox prevalent in parts of Naganangala Taluk. Improv. g.
Holénarsipur	Horsegram	22	22	Do. Small-pox prevalent in parts of Naganangala Taluk. Improv. g.
Shimoga	Rice	14 to 17	13 to 17	Do. Small-pox prevalent in parts of Naganangala Taluk. Improv. g.
Channagiri	Ragi	26 to 60	26 to 60	Do. Small-pox prevalent in parts of Naganangala Taluk. Improv. g.
Honnali	Horsegram	24 to 48	24 to 48	Do. Small-pox prevalent in parts of Naganangala Taluk. Improv. g.
Shikaripur	Ragi	42	42	Do. Small-pox prevalent in parts of Naganangala Taluk. Improv. g.
Sorab	Horsegram	24 to 48	24 to 48	Do. Small-pox prevalent in parts of Naganangala Taluk. Improv. g.
Sagar	Ragi	42	42	Do. Small-pox prevalent in parts of Naganangala Taluk. Improv. g.
Nagar	Horsegram	24 to 48	24 to 48	Do. Small-pox prevalent in parts of Naganangala Taluk. Improv. g.
Tirthahalli	Ragi	42	42	Do. Small-pox prevalent in parts of Naganangala Taluk. Improv. g.
Kumsi	Horsegram	24 to 48	24 to 48	Do. Small-pox prevalent in parts of Naganangala Taluk. Improv. g.
Chikmagalur	Rice	12 to 18	12 to 19	Do. Small-pox prevalent in parts of Naganangala Taluk. Improv. g.
Kadur	Ragi	30 to 48	36 to 50	Do. Small-pox prevalent in parts of Naganangala Taluk. Improv. g.
Tarikere	Horsegram	24 to 48	24 to 48	Do. Small-pox prevalent in parts of Naganangala Taluk. Improv. g.
Koppa	Ragi	42	42	Do. Small-pox prevalent in parts of Naganangala Taluk. Improv. g.
Mudgere	Horsegram	24 to 48	24 to 48	Do. Small-pox prevalent in parts of Naganangala Taluk. Improv. g.
Yedahalli	Ragi	42	42	Do. Small-pox prevalent in parts of Naganangala Taluk. Improv. g.
Chitaldroog	Rice	11 to 13	11 to 14	Do. Small-pox prevalent in parts of Naganangala Taluk. Improv. g.
Challakere	Ragi	44 to 60	44 to 60	Do. Small-pox prevalent in parts of Naganangala Taluk. Improv. g.
Hiriyur	Horsegram	24 to 48	24 to 48	Do. Small-pox prevalent in parts of Naganangala Taluk. Improv. g.
Holalkere	Ragi	42	42	Do. Small-pox prevalent in parts of Naganangala Taluk. Improv. g.
Davangere	Horsegram	24 to 48	24 to 48	Do. Small-pox prevalent in parts of Naganangala Taluk. Improv. g.
Molakalmuru	Ragi	42	42	Do. Small-pox prevalent in parts of Naganangala Taluk. Improv. g.
Jagalur	Horsegram	24 to 48	24 to 48	Do. Small-pox prevalent in parts of Naganangala Taluk. Improv. g.
Hosdurga	Ragi	42	42	Do. Small-pox prevalent in parts of Naganangala Taluk. Improv. g.

By Order,
N. KRISHNÀ RAO,
Ag. Under-Secretary.